

29234 GOVIK-ST DSO-B/G

Ring for spotlight fittings

5905339292346





















KANLUX GOVIK is a new holder for building in with a unique structure. The mat, acrylic lampshade diffuses light and makes the installed light source be invisible. The holder looks like a miniature integrated surface mounted luminaire.

GENERAL DATA:

Colour: black/gold

Place of assembly: Recessed mount in the ceiling

Place of application: Indoors

Minimum distance from the illuminated object: 0,5m

Decorative ring without a ceramic frame: yes

The product is not suitable to be covered with a heat-

insulating material: yes

Height [mm]: 60 Diameter [mm]: 80

Assembly hole [mm]: Ø67

TECHNICAL DATA:

Rated voltage [V]: 12 AC; 12 DC; 220-240 AC

Maximum power [W]: max 10

Class of protection against electric shock: ||/|||

Light source: MR16/PAR16 **Light source included**: no

Cap: Gx5,3/GU10

Ambient temperature range to which the product can be

exposed: 5÷25

Enclosure material: aluminum alloy Lighting-fixture angle regulation: none

IP class: 20

LOGISTIC DATA:

Packaging method: 50

Number of units in the secondary packaging: 1

Number of units in the packaging: 50

Net unit weight [g]: 132 Grammage [g]: 174.6

Length of a unit pack [cm]: 8.5 Width of a unit pack [cm]: 8.5 Height of a unit pack [cm]: 7.5

Weight of a cardboard box [kg]: 8.73
Width of a cardboard box [cm]: 17
Height of a cardboard box [cm]: 45
Length of a cardboard box [cm]: 74
Volume of a cardboard box [m³]: 0.05661

Date of issue: 15.11.2022, 05:22


We reserve the right to make technical changes. The data contained in this material are not legally binding. Photometry: the results obtained from testing were from a specific sample.





29234 GOVIK-ST DSO-B/G

Ring for spotlight fittings





ADDITIONAL INFORMATION:

• Decorative ring without a ceramic frame

Date of issue: 15.11.2022, 05:22

We reserve the right to make technical changes. The data contained in this material are not legally binding. Photometry: the results obtained from testing were from a specific sample.

